

EXCELLENCE

FLEXIBILITY

LEED
DESIGN
LOCKER
STORAGE
SHELVING

Republic

STORAGE PRODUCTS, LLC

EASY TO ASSEMBLE
ENGINEERING


QUALITY REPUBLIC
LOCK BAR

INTEGRITY

USA
VALUE

STYLE
CUSTOMER
SERVICE

REPUBLIC



THE LOCKER BOOK

quality • dependability • integrity • excellence • service

LOCKERS

LOCKERS

LOCKERS

LOCKERS

www.republicstorage.com

LOCKERS

LOCKERS

LOCKERS

LOCKERS

Contents

Locker Selector	3
The Republic Locker	4
Qwik-Ship Lockers	5
Standard Lockers	6
Quiet Lockers	7
Heavy Duty Corridor Lockers	8
Single Point II Corridor Lockers	9
Heavy Duty Ventilated Athletic Lockers	10
Single Point II Athletic Lockers	11
All Welded Ventilated Athletic Lockers	12
MVP Athletic Lockers	13
Emergency Response Lockers	14
Special Application Lockers	15
Options, Accessories & Trim	16
Locker Details	18

Locker Colors

Republic brings you a collection of colors selected by design professionals to define and accentuate your interior environment. All colors are available on locker door and frame assemblies for all Republic locker styles and configurations. Non-exposed interior components are furnished in #23 Classic Tan for Corridor Lockers. Athletic Lockers are supplied with all components finished in the color selected for the door and frame.

Republic's Finish Colors range from neutral shades to bold hues, offering classic interior design, as well as the splash of characteristic school colors. Our state-of-the-art powder process will provide a durable, quality paint finish to look great but also go the distance. No matter the **design** or **color** of your **creation**, Republic Storage Products has your solution!



Color representations shown may vary slightly from actual painted product. Color sample plates are available from your Republic Representative.

We've turned steel into quality storage products for over a century.

Republic offers a complete line of lockers for schools, athletic rooms, clubs, park and recreation areas, emergency personnel stations, offices, and industrial locker rooms. The Locker Book provides the information you need to research, compare, and select the best locker for your application. When used with our locker drawings and specifications found at www.republicstorage.com, you'll have everything you need to complete your project.

Looking toward tomorrow, we continue to research and redesign our lockers to meet your changing needs. We look for ways to improve paint finish, reduce noise and maintenance, and tackle the security issues you face. Republic is committed to another century of turning steel into the best quality storage products on the market.

Contact your Republic Representative for information on these options:

- Exposed tops and end panels painted to match doors/frames
- All locker body parts painted to match doors/frames
- Special paint film thickness
- Colors other than standard color offerings
- Doors and frames painted different colors (*two-tone*)

Quality Lockers for Every Application

Corridor Locker	25 COLORS	5 KNUCKLE HINGE	CONSTRUCTION		GAUGE		DOOR VENTILATION		3 POINT LATCH	ADA OPTIONS
			KNOCKED DOWN	WELDED	DOOR	BODY	STANDARD	OPTIONAL		
Qwik-Ship		✓	✓		16-18	24	L		✓	✓
Standard	✓	✓	✓		16-18	24	L	FL, VV, VS	✓	✓
Quiet	✓	✓	✓		16-18	24	P	VV, VS	✓	✓
Heavy Duty Corridor	✓	✓	✓		14	24	P, VV	L, FL, ML	✓	✓
Single Point II Corridor	✓	✓	✓		14	24	P, VV	L, FL, ML		✓

Athletic Lockers

Heavy Duty Ventilated	✓	✓	✓		14	16-18	DP	L, FL, ML	✓	✓
All Welded Ventilated	✓	✓		✓	14	16	DP	L, FL, ML	✓	✓
Single Point II Athletic	✓	✓	✓	✓	14	16-18	DP	L, FL, ML		✓
MVP	✓	✓	✓	✓	14 compt door	14-16				✓

Special Application

Emergency Response	✓	✓	✓	✓	14	16-18	DP	P, L, FL, ML	✓	✓
Golf/Sport	✓	✓	✓		16	24 or 16	L		✓	
ABC Cubbies for Kids	✓		✓	✓	no door	16-18			✓	✓
Ski	✓	✓	✓		16	24	DP	VV, VS	✓	

25 Colors

Choose from Republic's neutral shades or bold hues. No matter the design or color of your creation, Republic has your solution!

5 Knuckle Hinge

Our sturdy, full loop 2" high, 5 knuckle hinge, nested in the door slot, is welded to the frame and double riveted to the door, providing strength superior to a continuous "piano" type hinge.

Knocked Down

Knocked down (KD) construction offers flexibility since individual locker parts are shipped to the destination and field assembled. In the event of a change in site conditions, locker configuration is effortlessly altered.

Welded

Welded lockers are shipped preassembled and ready to install.

Door Gauge

Gauge designates the thickness of the material (steel) used to fabricate the locker door. Like a golf score, the lower, the better.

Body/Interior Components/Gauge

Gauge designates the thickness of the material (steel) used to fabricate the locker sides, back, top, bottom, and shelf. Choose 24 gauge for economy or 16 gauge for durability.

Ventilation

Particular applications may require customized ventilation. See page 16 for additional information.

3 Point Latch

A double channel lock bar concealed within the locker door engages heavy gauge frame hooks on the frame/body at 3 distinct points for maximum security. Alternatively, Single Point Latch offers lower maintenance.

ADA Options

ADA compliant lockers meet the requirements of the Americans with Disabilities Act for accessibility and usability.

Ventilation Key

SEE PAGE 16

L	= Louvers	DP	= Diamond Perfs	ML	= Mini-Louvers
P	= Door Perimeter	FL	= Full Louvers	VS	= Visual Slots
VV	= Verti-Vents				



The Republic Locker

- All Republic locker bodies are fabricated from premium quality cold rolled steel.
- Tops, bottoms, and shelves have flanges on all four sides.
- The design of backs and uprights provides for double-lapped rear vertical corners for extra strength.



SUPERIOR DESIGN

- A** Book shelf is provided in single tier lockers (48" or higher).
- B** Steel coat hooks are zinc plated.
- C** Double channel lock bar with spring steel latches is protected within full height channel-edge door construction.
- D** Sturdy, heavy gauge steel frame hooks provide secure latching.
- E** Rubber bumpers are provided at each hook to reduce door noise.
- F** Aluminum number plates have easy-to-read 1/2" high black numerals.
- G** Punching for built-in locks is provided in all doors.
- H** Tops, bottoms, and shelves are formed with flanges on all 4 sides.
- I** Backs and uprights are designed with double-lapped rear vertical corners for strength.
- J** Overlapping door frame members are double-welded in each corner for a rigid assembly.
- K** Full height continuous door strikes on both left and right side frames provide strength and security.
- L** Full loop, 5 knuckle hinges are double-riveted to door and welded to side frame.
- M** Cross frames between tiered doors provide an exceptionally strong and rigid frame assembly.


QUALITY

Qwik-Ship Lockers *ready now*



Configurations and Sizes:

Single Tier Lockers



W	D	H	1-Wide #	3-Wide #
12	12	60	753666	753668
12	15	60	753670	753672
12	18	60	753674	753676
12	12	72	753678	753680
12	15	72	753682	753684
12	18	72	753686*	753688*
15	18	72	753690	753692
18	18	72	753694*	753696*

Double Tier Lockers



W	D	H	1-Wide #	3-Wide #
12	12	36	753710*	753712*
12	15	36	753714*	753716*
12	18	36	753718*	753720*
15	18	36	753722*	753724*

5-High Box Lockers




W	D	H	1-Wide #	3-Wide #
12	12	12	753801	753803
12	15	12	753811	753813

6-High Box Lockers



W	D	H	1-Wide #	3-Wide #
12	12	12	753881	753883
12	15	12	753891	753893
12	18	12	753901	753903

16-Person Multi-Robe



W	D	H	Part #
72	18	72	753945

Republic's Qwik-Ship Lockers are in stock for immediate shipment. They feature heavy 16 or 18 gauge steel doors mounted in welded frame assemblies for strength and durability. Reliable recessed handle and proven latching system ensure maximum security, while louvers provide ventilation. Lockers are conveniently available in pre-packaged, 1-wide and 3-wide groupings. Lockers include 6" legs for an overall finished height of 66" or 78". All sizes shown are in stock in #23 Classic Tan. Part numbers with an * are also available in #20 Dove Gray.

Standard Features:

Material: Door - 16 or 18 ga. mild cold rolled steel. Body - 24 ga. mild cold rolled steel.


Assembly: Knocked down (KD), assembled with nuts and bolts.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Stainless steel recessed handle with plastic-protected lifting trigger. Punched to accept a padlock or a built-in lock. Meets ADA requirements for accessibility.

Latching: Tiered - quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides. Box - padlock hasp and steel strike plate with integral door pull.

Ventilation: Louvers; door perimeter.




Optional Accessories:

Front and End Bases: 20 ga., used to close the bottom areas between locker legs.

Individual Sloping Tops: Provide a finished appearance and discourage the use of locker tops as storage areas. Kit includes top and end panels (required to close ends of locker groups).

Recess Trim: Used to cover the gap between lockers and walls in a recessed installation.

Fillers: Corner angles, angle fillers, and slip joint fillers are used to fill open areas or corners between individual units.



Standard Lockers *the industry benchmark*

Republic's Standard Locker offers economical storage of personal effects in schools, parks and recreation areas, offices, and industrial locker rooms. Continuous vertical door strikes, heavy gauge frame hooks, and full-flanged, channel edged doors lend quality and security to the locker. Recognized by its recessed handle and distinctive door louvers, the Standard Locker serves as the industry benchmark for durability, reliability, and value. Many sizes of Standard Lockers are available for immediate shipment from our Qwik-Ship Inventory.

Standard Features:


Material: Door - 16 or 18 ga. mild cold rolled steel. Body - 24 ga. mild cold rolled steel.

Assembly: Knocked down (KD), assembled with nuts and bolts.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Stainless steel recessed handle with plastic-protected lifting trigger. Able to accept padlock or built-in lock. Meets ADA requirements for accessibility.

Latching: Tiered - quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides.



Box - padlock hasp and steel strike plate with integral door pull.

Ventilation: Louvers; door perimeter.



Optional Features:




Material: Door - 16 or 18 ga. galvanized steel. Body - 16 ga. mild cold rolled steel; 24 ga. or 16 ga. galvanized steel; stainless steel bottoms.

Assembly: Knocked down (KD), assembled with rivets or Keps nuts and bolts.

Handle: #12 lift handle

Hinge: Continuous "piano" style hinge.

Ventilation: Full louvers; verti-vents; visual slots.



Locker Cost Index

Relative to Republic's Quiet Locker at 100




Configurations and Sizes:

Single Tier Lockers



W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 36*, 48, 54, 60, 72
*actual height is 36 1/2"

4-High Box Lockers



W 9, 12, 15
D 12, 15, 18
H 15, 18

Double Tier Lockers



W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 24, 30, 36, 42

5-High Box Lockers



W 12, 15
D 12, 15, 18
H 12, 14.4

Triple Tier Lockers



W 12
D 12, 15, 18
H 20, 24

6-High Box Lockers



W 12, 15
D 12, 15, 18
H 12

Four Tier Lockers



W 12
D 12, 15, 18
H 18

Two Person Lockers



W 15, 18
D 12, 15, 18, 21
H 60, 72

3-High Box Lockers



W 9, 12, 15
D 12, 15, 18
H 20, 24

Duplex Lockers




W 15, 18
D 15, 18, 21
H 60, 72

Ski Lockers



W 12, 15
D 15, 18
H 84

Double Door Lockers



W 24
D 18, 21, 24
H 60, 72

Quiet *the best value*



Configurations and Sizes:

Single Tier Lockers



W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 36*, 48, 54, 60, 72
*actual height is 36 1/2"

Two Person Lockers



W 15, 18
D 12, 15, 18, 21
H 60, 72

Double Tier Lockers



W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 24, 30, 36, 42

Duplex Lockers



W 15, 18
D 15, 18, 21
H 60, 72

Triple Tier Lockers



W 12
D 12, 15, 18
H 20, 24

Double Door Lockers



W 24
D 18, 21, 24
H 60, 72

Four Tier Lockers



W 12
D 12, 15, 18
H 18

Locker Cost Index

Relative to Republic's Quiet Locker at 100



Republic's Quiet Locker, the most popular choice for schools is economical, yet meets the basic needs of the school environment: noise-free operation and recessed handles for flat door surfaces. It features continuous vertical door strikes and full-flanged channel edged doors for added strength and security. Double lapped rear vertical corners stiffen locker bodies. Full loop, nested hinges are welded to frames and double-riveted to doors to eliminate hinge failure. The combination of solid construction and competitive price makes the Quiet Locker the best value on the market today.

Standard Features:

Material: Door - 16 or 18 ga. mild cold rolled steel. Body - 24 ga. mild cold rolled steel.


Assembly: Knocked down (KD), assembled with nuts and bolts.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Stainless steel recessed handle with plastic-protected lifting trigger. Able to accept padlock or built-in lock. Meets ADA requirements for accessibility.

Latching: Quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides.

Ventilation: Door perimeter.




Optional Features:

Material: Door - 16 ga. or 18 ga. galvanized steel. Body - 16 ga. mild cold rolled steel; 24 ga. or 16 ga. galvanized steel; stainless steel bottoms.

Assembly: Knocked down (KD), assembled with rivets or Keps nuts and bolts.

Hinge: Continuous "piano" style hinge.

Ventilation: Verti-vents; visual slots.



Heavy Duty Corridor *an invincible choice*

Republic's Heavy Duty Corridor Locker is the best choice for tougher environments. With an extra heavy 14 gauge door, secure lock nut fasteners, and quiet latching; this locker provides extra strength and security. Nested hinges are welded to frames and double-riveted to doors to eliminate hinge failure. When you add the standard features of welded cross frames, continuous vertical door strikes, and double lapped rear vertical corners on locker bodies; you've got an invincible locker.

Standard Features:

Material: Door - 14 ga. mild cold rolled steel.
Body - 24 ga. mild cold rolled steel.



Assembly: Knocked down (KD), assembled with Keps nuts and bolts.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Stainless steel recessed handle with plastic-protected lifting trigger. Able to accept a padlock or a built-in lock. Meets ADA requirements for accessibility.

Latching: Quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides.

Ventilation: Door perimeter; verti-vents.






Optional Features:

Material: Door - 14 ga. galvanized steel. Body - 16 ga. mild cold rolled steel; 24 ga. or 16 ga. galvanized steel; stainless steel bottoms.

Assembly: Knocked down (KD), assembled with rivets.

Hinge: Continuous "piano" style hinge.

Ventilation: Louvers; full louvers; mini-louvers.



Configurations and Sizes:

Single Tier Lockers



W 12, 15, 18
D 12, 15, 18
H 48, 60, 72

Double Tier Lockers



W 12, 15, 18
D 12, 15, 18
H 30, 36

Triple Tier Lockers



W 12, 15
D 12, 15, 18
H 20, 24

Locker Cost Index

Relative to Republic's Quiet Locker at 100



Single Point II C *economy and strength*



Configurations and Sizes:

Single Tier Lockers



W 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 36*, 48, 54, 60, 72
*actual height is 36 1/2"

4-High Box Lockers



W 12, 15
D 12, 15, 18
H 15, 18

Double Tier Lockers



W 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 24, 30, 36, 42

5-High Box Lockers



W 12, 15
D 12, 15, 18
H 12, 14.4

Triple Tier Lockers



W 12, 15
D 12, 15, 18
H 20, 24

6-High Box Lockers



W 12, 15
D 12, 15, 18
H 12

Four Tier Lockers



W 12
D 12
H 18

Locker Cost Index

Relative to Republic's Quiet Locker at 100



Republic's Single Point II Locker gives you the benefits of single point latching at an economical price. A heavy 14 gauge door is reinforced for added strength and rigidity. When padlocks are used, the Single Point II is virtually maintenance free. Full loop, nested hinges are welded to frames and double-riveted to doors to eliminate hinge failure. Single Point II Box lockers offer small storage areas with a flush front door design. For low maintenance and high security at an affordable price, Single Point II Lockers are the best choice.

Standard Features:

Material: Door - 14 ga. mild cold rolled steel with 16 ga. welded channel reinforcement (tiered lockers only).
Body - 24 ga. mild cold rolled steel.


Assembly: Knocked down (KD), assembled with Keps nuts and bolts.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Drawn stainless steel recessed cup with integral finger pull and optional padlock hasp. Cup punched to accept padlock or built-in lock. Meets ADA requirements for accessibility.

Latching: 11 ga. frame hook engages recessed handle pocket. Frame hook will accept Master Lock 1690. For maximum security, Republic recommends use of a padlock.

Ventilation: Door perimeter; verti-vents.




Optional Features:

Material: Door - 14 ga. galvanized steel; 16 ga. channel reinforcement on box lockers. Body - 16 ga. mild cold rolled steel; 24 ga. or 16 ga. galvanized steel; stainless steel bottoms.

Assembly: Knocked down (KD), assembled with rivets.

Hinges: Continuous "piano" style hinge.

Ventilation: Louvers; full louvers; mini-louvers.



Heavy Duty Ventilated *added strength*

Republic's Heavy Duty Ventilated Lockers

are designed to meet the harsh requirements of an athletic room environment. Built to last, these lockers feature knocked down construction, rugged 14 gauge doors, a heavy gauge body, multiple latching options, and our premium paint finish throughout.

Standard Features:

Material: Door - 14 ga. mild cold rolled steel. Body - 16 ga. mild cold rolled steel (18 ga. backs).


Assembly: Knocked down (KD), assembled with rivets or nuts and bolts.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Tiered - stainless steel recessed handle with plastic-protected lifting trigger. Able to accept a padlock or a built-in lock. Meets ADA requirements for accessibility. Box - finger operated trigger punched to accept a padlock.

Latching: Tiered - quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides. Box - spring latch device welded to door automatically engages upon door closure.

Ventilation: Door (tiered) - large diamond perforations; Door (box) - small diamond perforations; Side - large diamond perforations - solid sides can be requested for either row ends or all sides.



Optional Features:


Material: Door - 14 ga. galvanized steel. Body - 16 ga. galvanized steel; stainless steel bottoms.

Assembly: Knocked down (KD), assembled with Keps nuts and bolts or rivets.

Hinge: Continuous "piano" style hinge.

Handle/Latching: 7 ga. steel turn handle for three point latching at top, side, and bottom of locker.

Ventilation: Louvers; full louvers; mini-louvers.



Configurations and Sizes:

Single Tier Lockers

W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 36*, 48, 60, 72
*actual height is 36 1/2"



5-High Box Lockers

W 12, 15, 18
D 12, 15, 18, 21, 24
H 12, 14.4



Double Tier Lockers

W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 30, 36



6-High Box Lockers

W 12, 15, 18
D 12, 15, 18, 21, 24
H 12




Triple Tier Lockers

W 12, 15
D 12, 15, 18, 21
H 20, 24



4-High Box Lockers

W 12
D 12, 15, 18
H 15, 18



Locker Cost Index

Relative to Republic's Quiet Locker at 100



Single Point IIA *meets tough standards*



Configurations and Sizes:

Single Tier Lockers



W 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 36*, 48, 54, 60, 72
*actual height is 36 1/2"

4-High Box Lockers



W 12, 15
D 12, 15, 18
H 15, 18

Double Tier Lockers



W 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 24, 30, 36, 42

5-High Box Lockers



W 12, 15
D 12, 15, 18
H 12, 14.4

Triple Tier Lockers



W 12, 15
D 12, 15, 18
H 20, 24

6-High Box Lockers



W 12, 15
D 12, 15, 18
H 12


Four Tier Lockers



W 12
D 12
H 18


Locker Cost Index (KD)

Relative to Republic's Quiet Locker at 100



Locker Cost Index (Welded)

Relative to Republic's Quiet Locker at 100



Republic's Single Point II Locker brings the benefits of latching with no moving parts to athletic environments. Heavy 14 gauge doors with reinforcing channels stand up to the tough standards of an athletic team room. Box locker doors with optional reinforcing are also available. Continuous vertical door strikes, heavy gauge bodies, nested hinges, and our premium paint finish throughout add to the long life of the locker. For low maintenance and high security for the athletic locker room, Single Point II Athletic Lockers are the best choice.

Standard Features:

Material: Door - 14 ga. mild cold rolled steel with 16 ga. welded channel reinforcement (tiered lockers only). Body - 16 ga. mild cold rolled steel. (18 ga. backs).



Assembly: Knocked down (KD), assembled with rivets or nuts and bolts.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Drawn stainless steel recessed cup with integral finger pull and padlock hasp. Cup punched to accept padlock or built-in lock. Meets ADA requirements for accessibility.

Latching: 11 ga. frame hook engages recessed handle pocket. Frame hook will accept Master Lock 1690. For maximum security, Republic recommends the use of a padlock.

Ventilation: Door (tiered) - large diamond perforations; Door (box) - small diamond



perforations; Side - large diamond perforations - solid sides can be requested for either row ends or all sides.






Optional Features:

Material: Door - 14 ga. galvanized steel; 16 ga. channel reinforcement on box lockers. Body - 16 ga. galvanized steel; stainless steel bottoms.

Assembly: Knocked down (KD), assembled with Keps nuts and bolts; welded assembly (backs are 16 gauge).

Hinge: Continuous "piano" style hinge.

Ventilation: Louvers; full louvers; mini-louvers.



All Welded Ventilated *built to last*

Republic's All Welded Ventilated Lockers

incorporate the superior design elements of the Heavy Duty Ventilated Locker. These lockers feature welded construction, rugged 14 gauge doors, a heavy gauge body, multiple latching options, and our premium paint finish throughout. All Welded Ventilated Lockers utilize a unique, one piece back/side design for added strength and improved group alignment. All Welded Lockers are shipped preassembled and ready to install.

Standard Features:

Material: Door - 14 ga. mild cold rolled steel. Body - 16 ga. mild cold rolled steel.


Assembly: Welded construction.

Hinge: Full loop, 2" 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Tiered - stainless steel recessed handle with plastic-protected lifting trigger. Able to accept a padlock or a built-in lock. Meets ADA requirements for accessibility. Box - finger operated trigger punched to accept a padlock.

Latching: Tiered - quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides. Box - spring latch device welded to door automatically engages upon door closure.

Ventilation: Door (tiered) - large diamond perforations; Door (box) - small diamond perforations; Side - large diamond perforations - solid sides can be requested for either row ends or all sides.



Optional Features:


Material: Door - 14 ga. galvanized steel. Body - 16 ga. galvanized steel; stainless steel bottoms.

Hinge: Continuous "piano" style hinge.

Handle/Latching:


- Single Point Latch - accepts padlock (recommended) or built-in lock. Complies with ADA.
- Turn Handle - three point latching at top, side and bottom of locker.

Ventilation: Door perimeter; louvers; full louvers; mini-louvers.



Locker Cost Index

Relative to Republic's Quiet Locker at 100



Although the All Welded locker is typically used in a locker room, it has made its way into the corridor with the modifications of solid doors and sides, along with use of the Single Point Handle as shown here. *



Configurations and Sizes:

Single Tier Lockers



W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 36*, 48, 60, 72
*actual height is 36 1/2"

5-High Box Lockers



W 12, 15, 18
D 12, 15, 18, 21
H 12, 14.4

Double Tier Lockers



W 9, 12, 15, 18, 24
D 12, 15, 18, 21, 24
H 30, 36

6-High Box Lockers



W 12, 15, 18
D 12, 15, 18, 21
H 12

Triple Tier Lockers



W 12, 15
D 12, 15, 18, 21
H 20, 24

AWV MVP



W 18, 24, 33
D 18, 21, 24
H 72

4-High Box Lockers




W 12
D 12, 15, 18
H 15, 18

*All Welded SPII Corridor Available Configurations

- Single Tier
- Double Tier
- Triple Tier
- Four Tier

See page 9 for sizes

MVP *a team requirement*



Configurations and Sizes:

Basic MVP



W 18, 24
D 18, 21, 24
H 72

MVP with Lockable Compartments



W 18, 24
D 18, 21, 24
H 72

MVP with Foot Locker



W 18, 24
D 18, 21, 24
H 72

Complete MVP



W 18, 24
D 18, 21, 24
H 72

Locker Cost Index

Relative to Republic's Quiet Locker at 100




Republic's MVP Athletic Locker is a requirement for any athletic team. With an open-front design, the over-sized MVP Locker provides a large, closet-type space for clothing and uniforms and an optional foot locker for equipment storage. An upper shelf is ideal for small items, while the optional lockable compartment adds secure storage for valuables. Heavy gauge steel body parts and our premium paint finish guarantee durability in the demanding environment of a team room.

Standard Features:

Material: Body - 16 ga. mild cold rolled steel (backs 18 ga. on KD units).

Assembly: Knocked down (KD), assembled with rivets or nuts and bolts.

Interior Equipment: One full width 16 ga. shelf, four single prong coat hooks and a coat rod.



Ventilation: Diamond perforated sides - solid sides can be requested for either row ends or all sides.

Optional Features:

Material: Body - 16 ga. galvanized steel.

Assembly: Knocked down (KD), assembled with Keps nuts and bolts; Pre-assembled of welded construction (backs are 16 ga.). Optional lockable compartment and/or foot locker are not welded into assembly.

Interior Equipment:

Foot Locker - Fully enclosed foot locker with 14 ga. ventilated front panel and reinforced seat with continuous hinge. Front panel has recessed area and mounted padlock hasp for locking.

Lockable Compartment - 16 ga. vertical partition and 14 ga. door with framing members attached to the shelf, side, and top of the locker to provide lockable storage. Spring hinge holds door closed for safety. Door punched to accept padlock or built-in lock.



Emergency Response Locker *modular design*

Turnout




Gear



Configurations and Sizes:

ERL - Popular Configurations

Many configurations can be built from Emergency Response Locker parts. A sampling of configurations is shown here.



Available Sizes: W - 24", 30", 36" D - 24" H - 72"

Republic's ERL recognizes the storage needs of all emergency responders. Our modular design offers a variety of configurations to appeal to diverse emergency personnel. Open-front lockers provide swift access to emergency gear. Add double doors to securely store your mission critical gear. An upper locked compartment or a bottom drawer secures both personal items and equipment. Think modular!... and choose features to accommodate your specific storage needs. A full range of accessories complements this locker's unique standard options.

Standard Features:

Material: Body - 16 ga. mild cold rolled steel (backs 18 ga. on KD units). Doors - 14 ga. mild cold rolled steel when doors are specified.

Assembly: Knocked down (KD), assembled with rivets or nuts and bolts. Welded construction (backs are 16 ga.)



Interior Equipment: One full width 16 ga. shelf, four single prong coat hooks and a coat rod.

Hinge: Full loop, 5-knuckle hinges nested in door slot; welded to frame and double-riveted to door.

Handle: Stainless steel recessed handle with plastic-protected lifting trigger. Able to accept a padlock or a built-in lock. Meets ADA requirements for accessibility.



Latching: Quiet, multi-point latching on heavy gauge frame hooks with rubber silencers that reduce noise. Concealed quiet lock bar locked in place and isolated from metal to metal contact by polyethylene glides.



Ventilation: Diamond perforated sides. Solid sides can be requested for either row ends or all sides.



Optional Features:

Material: Body - 16 ga. galvanized steel.

Assembly: Knocked down (KD), assembled with Keps nuts and bolts; welded construction (backs are 16 ga.).

Interior Equipment:

Foot Locker - Fully enclosed foot locker with 14 ga. ventilated front panel and reinforced seat with continuous hinge. Front panel has recessed area and mounted padlock hasp for locking.

Interior Equipment:

Lockable Compartment - Available in 12" or 24" width. 16 ga. vertical partition and 14 ga. door with framing members attached to the shelf, side, and top of the locker to provide lockable storage. Spring hinge holds door closed for safety. Door accepts padlock or built-in lock.



Drawer - 16 ga. drawer face welded to 18 ga. body to form a rigid box. Framed in 16 ga. members and mounted to heavy duty drawer glides rated to 200# capacity. Can accept either a padlock or a built-in lock.



Partitions and half shelves - 16 ga. vertical and horizontal dividers provide additional ways to use the interior space.



Drawer with Padlock

Drawer with Keylock

Locker Cost Index (KD)

Relative to Republic's Quiet Locker at 100



Locker Cost Index (Welded)

Relative to Republic's Quiet Locker at 100



Special Application Lockers

ADA Compliant Lockers

ADA Compliant Lockers meet the requirements of the Americans with Disabilities Act for accessibility and usability. With an adjustment to the shelf location, Republic lockers with recessed handles meet the operation and reach needs of the user. Lockers should be placed in an area to allow full door swing and wheelchair turning ability. ADA Compliant Benches (24" x 48") are also available.



Golf/Sports Lockers

Golf/Sports Lockers are designed to suit the needs of golf or sports club members. The basic locker includes shelves, partition, coat rod, and hooks. Optional accessories include a locking compartment, golf ball tray, towel holders, comb and brush tray, and mirror.



ABC Cubbies for Kids



ABC Cubbies for Kids meet the casework needs of daycare centers, pre-primary and elementary schools with the colorful, durable traits of steel lockers. Manufactured from heavy gauge steel, with no doors or locks for simplicity, Cubbies are designed for safety with 180 degree bends, round corners, and smooth edges. For a colorful, long lasting, and fast installing alternative to casework, choose ABC Cubbies for Kids.

Ski Lockers

Ski Lockers are ideal for seasonal rentals at resorts and in ski area hotels and condominiums. The locker is 84" in height and with the optional sloping top, can hold skis up to 225 cm in length. Optional equipment includes stainless steel bottoms; slide stops to prevent skis from sliding out of lockers; hooks for hanging poles; and half shelves for hats, gloves, or goggles.



Single Compartment w/ Shelf



W 12, 15, 18
D 15
H 48

Double Compartment



W 12, 15, 18
D 15
H 24

Companion Compartment



W 12, 15, 18
D 15
H 48

Triple Compartment




W 12, 15, 18
D 15
H 16

Other Special Application Lockers


- Front/rear entry lockers for uniform exchange or legal evidence
- Combination lockers with variable compartment sizes
- Lockers without doors for divided, open storage
- Combination fire extinguisher and waste can doors
- Extended 16" leg lockers with attached benches

Options *ventilation, exposed ends, and locks*


Ventilation




Standard Louvers are arranged in patterns of six, three, or two depending on door size.




Verti-Vent Perforations in the top and bottom flanges of locker doors enhance perimeter ventilation.




Diamond Perforations are $\frac{3}{4}$ " W x $1\frac{1}{2}$ " H and are standard in doors and uprights of athletic lockers.




Round Perforations are groups of forty-two, $\frac{1}{2}$ " holes on 1" centers arranged in various patterns on backs and uprights.




Full Louvers add extra ventilation by extending the louvers for the full height of the locker door.



Mini-Louvers provide ventilation of athletic lockers while concealing locker contents. $\frac{3}{4}$ " W x $\frac{3}{8}$ " H, they are available on all athletic locker doors.



Small Diamond Perforations are $\frac{7}{16}$ " W x $\frac{15}{16}$ " H and are available in uprights and doors of athletic lockers.



Visual Slots, $\frac{5}{8}$ " W x $1\frac{1}{8}$ " H openings, provide free air flow through the locker. Available only on Standard and Quiet Lockers.

Exposed Ends

Standard Uprights with multiple holes for various style lockers are finished in #23 Classic Tan. 24 gauge is standard; 16 gauge is available.

Option: No Extra Hole Uprights have no unnecessary holes and are supplied in the same color as the door and frame. 24 gauge is standard; 16 gauge is available.

Option: End Finishing Panels have perimeter holes only and are finished in the same color as the door and frame. 24 gauge is standard; 16 gauge is available.

Option: Boxed End Panels cover the ends of locker rows and feature concealed fasteners for the most finished appearance. Painted in the same color as the locker door and frame, they are formed from 16 gauge steel with a 1" face.




Standard Upright




No Extra Hole Upright




End Finishing Panel




Box End Panel Flat Top Single Row



Box End Panel Flat Top Double Row



Box End Panel Slope Top Single Row



Box End Panel Slope Top Double Row

Locks

1690 Rotary Bolt SPLII



1630 Lifting Deadbolt STD/QT/HDC/HDV/AWW/UF



Padlock



Flat Key Deadbolt



Grooved Key Spring Bolt



(Combination locks also available spring bolt)

Built-in Combination, Padlock, Flat Key, and Grooved Key Locks

All Republic lockers have provisions for built-in key locks, built-in combination locks, and padlocks. Built-in locks are supplied with a spring bolt, dead bolt, or rotary bolt, depending on the locker type. Key locks may be master-keyed by special order.

Digilock ADA compliant locks provide one touch access by contacting a button key to the lock face. Audio/visual indicators are provided for vision or hearing impaired users. To conform to ADA Accessibility Guidelines, lockers specified for ADA use must employ ADA compliant locks.



Digilock electronic locks provide keyless, management-free locker operation. APS locks are used for rented or permanently assigned lockers; ATS locks are for temporary use. High security dead bolt locking and an audit trail are available with both lock systems.



Safe-O-Mat coin lock systems are easily installed on many Republic lockers. Deposit locks return a deposited coin to the user while Collect locks keep coins in a cash box. Lock bolts are reversible for dead bolt or spring bolt operation.



Options *finish trim, benches, and basket rack shelving*

Finish Trim



6" legs can be added to all lockers. Front legs are an extension of vertical frames. Adjustable rear angle legs are provided for every third upright in a row.



20 gauge Closed Front and End Bases may be used to close the bottom areas of lockers with legs.



16 gauge Zee Bases raise lockers above the floor and create an overhang or "toe space" for lockers. Zee Bases are available in 3", 4" and 6" heights.



Number Plates feature $\frac{1}{2}$ " high black numerals on brushed aluminum, permitting easy locker identification.



Standard Box Locker Pulls provide a convenient finger pull and serve as a padlock strike and lock hole cover. They are made from 20 gauge stainless steel.



Recess Trim has a 3" face and a $\frac{3}{8}$ " top return. Integral corner caps and hairline joints reinforced with welded-on splice fingers create a clean frame effect for recessed lockers.



Individual Sloping Tops provide a finished appearance and discourage the use of locker tops as storage areas. The rise is $\frac{1}{3}$ of the locker depth. Standard flat tops are omitted when individual sloping tops are used.



Continuous Sloping Tops provide a finished appearance for lockers mounted along walls or in island groups. The rise of the slope is $\frac{1}{3}$ of the locker depth. Customize installations with sloping top splices, valley corners, and hip ends - all with concealed fasteners.

Benches



Benches and Pedestals have an overall height of 17- $\frac{1}{2}$ ". Benches are 9- $\frac{1}{2}$ " wide x 1- $\frac{1}{4}$ " full finished thickness, laminated maple. Pedestals consist of sturdy 1- $\frac{1}{4}$ " diameter tubing with 10 gauge steel flanges welded to each end.




Moveable Benches consist of maple bench tops mounted to free standing trapezoidal-shaped pedestals. Pedestals are made from $\frac{1}{4}$ " x 3" aluminum bar stock and feature a black anodized finish. Non-skid pads are provided for each pedestal. Maximum bench overhang from middle of this pedestal must not exceed 6".



ADA Compliant Benches & Pedestals have an overall height of 17- $\frac{1}{2}$ ". Benches are 48" wide x 24" deep 1- $\frac{1}{4}$ " full finished thickness laminated maple. Pedestals consist of sturdy 1- $\frac{1}{4}$ " diameter tubing with 10 gauge steel flanges welded to each end. Four pedestals required.

Basket Rack Shelving

Republic Basket Rack Shelving is used to store personal items and clothing in gym rooms, pool areas, athletic clubs, and community centers. All units are supplied in single face construction. For double face shelving, bolt units together back-to-back. End sheets, closed bases and mobility casters are available. Rack sizes are 39- $\frac{9}{32}$ " wide, 13- $\frac{3}{8}$ " deep and 60", 67- $\frac{1}{2}$ " or 72" high. Units are configured to hold 18, 21, or 24 baskets. Baskets are 9" or 12" wide, 13" deep, and 8" high in the styles shown.



Mesh




Steel Front




Pilfer Guard


Trim Drawings *for that final touch*



SINGLE ROW SECTION DETAILS




DOUBLE ROW SECTION DETAILS



Trim Drawings *for that final touch*


CONTINUOUS SLOPE TOP DETAILS



Continuous slope tops are furnished in 72" lengths only. Cut to fit lockers in field. Cut ends are concealed in splice plates.

Note: Consult your Republic Representative for details where intersecting tops involve two different heights due to locker depth differences. (Example: 18" deep tops rise 6" and 12" deep tops rise 4".)

INDIVIDUAL SLOPE TOP




24 gauge. Rise equals 1/3 locker depth. Flat tops are omitted when individual slope tops are used. Wedge shaped end panels are used between each slope top and on ends.


SLOPE TOP FILLER

24 gauge. Fills gap at top of front fillers.


FILLER WIDTH LAPS OVER ADJACENT INDIVIDUAL SLOPE TOPS.



FLAT TOP CORNER FILLER




MITERED SLOPE TOP FOR SINGLE ROW CONTINUOUS SLOPE TOP




Trim Drawings *for that final touch*


SLIP JOINT FILLER AT WALL




SLIP JOINT FILLER BETWEEN LOCKERS




ANGLE FILLER AT CORNER




CLOSED BASE AND 6\"/>




16 GAUGE ZEE BASE



CONCRETE BASE (FOR SINGLE ROW)



CONCRETE BASE (FOR DOUBLE ROW LOCKERS)



3743 Boettler Oaks Drive Suite A
Uniontown, OH 44685
800.477.1255 • fax 330.899.9436